



2 ROOF DEMOLITION PLAN

LEGEND:

-  INDICATES EXISTING WOOD FRAMED ROOF STRUCTURE TO BE REMOVED.
-  EXISTING OBJECT OR CONSTRUCTION TO BE REMOVED.

GENERAL NOTES:

1. VERIFY EXISTING CONDITIONS.
2. REMOVE FLASHING, VENTS, MECHANICAL EQUIPMENT, AND ALL OTHER ITEMS REQUIRED FOR ROOFING AND ROOF STRUCTURE DEMOLITION AND THE INSTALLATION OF NEW WORK, WHETHER OR NOT SPECIFICALLY ITEMIZED.
3. PROVIDE TEMPORARY SUPPORT FOR FIRE SPRINKLER LINES IN WORK AREAS. FIRE SPRINKLER SYSTEMS AND ALARMS SHALL REMAIN OPERATIONAL. SEE MECHANICAL.
4. TEMPORARILY REMOVE EXISTING ELECTRICAL CONDUITS, WIRING, SMOKE DETECTORS, AND LIGHTING FIXTURES.
5. DEMO EXISTING WOOD FORMWORK ON INTERIOR FACE OF CONCRETE WALLS.
6. COMMUNICATION CABLING ON EXISTING FRAMING WILL BE RELOCATED TO CONCRETE CEILING/FLOOR BY OTHERS IN EARLY JULY 1999.

KEYED NOTES:

1. REMOVE EXISTING ROOF STRUCTURE DOWN TO CEILING JOISTS AND CONCRETE ATTIC FLOOR.
2. REMOVE EXISTING ROOF DRAIN AND ASSOCIATED PAVING TO FIRST FITTING. SEE MECHANICAL.
3. REMOVE FLASHING AT EXISTING SCUPPER.
4. REMOVE EXISTING ROOF HOOD. DEMO EAST SIDE OF SHIRT FROM ROOF TO CEILING AS REQUIRED TO ACCOMMODATE NEW ROOF FROM WALL STRUCTURE.
5. REMOVE EXISTING MECHANICAL EQUIPMENT TO APPROXIMATELY 2'-0" BELOW ROOF.
6. REMOVE EXISTING SPLITLIGHT AND ASSOCIATED DUCTS AND PAN BOXES.
7. REMOVE EXISTING VENT. SEE MECHANICAL.
8. REMOVE EXISTING CHIMNEY BASE TO EXISTING CEILING STRUCTURE.
9. REMOVE EXISTING EQUIPMENT BASE.
10. REMOVE EXISTING SIREN.
11. REMOVE EXISTING EXPANSION JOINT.
12. REMOVE EXISTING ROOF HATCH. MOOPY LADDER IF NECESSARY TO ACCOMMODATE NEW ROOF AND HATCH.
13. REMOVE EXISTING ABANDONED ELECTRICAL CONDUIT RISER.
14. CUT OFF EXISTING EXPANDED POLYSTYRENE (EPS) INSULATION AT TOP AND SIDE OF PARAPETS TO BE FLASHED WITH CONCRETE SURFACES.
15. REMOVE EXISTING ELECTRICAL CABLE RUNNING FROM SIDE OF ROOF HATCH ON/DN ROOF.
16. REMOVE PLYWOOD AND WOOD FRAME FROM OPENING THROUGH EXTERIOR WALL.
17. REMOVE AND DISPOSE OF EXISTING LADDER.
18. REMOVE WINDOW FROM LIGHT WELL TO ATTIC.
19. EXHUME OPENING IN CONCRETE WALL IN ATTIC BETWEEN WORK AREAS A AND B TO REVEAL ANY UNDERGROUND SERVICES. AS ATTIC FLOOR IN WORK AREA B, THIS TRENCH SHALL BE PART OF BASE BID.